



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C08F 8/44	A1	(11) International Publication Number: WO 00/63259 (43) International Publication Date: 26 October 2000 (26.10.00)
<p>(21) International Application Number: PCT/US00/10167</p> <p>(22) International Filing Date: 14 April 2000 (14.04.00)</p> <p>(30) Priority Data: 09/293,551 16 April 1999 (16.04.99) US</p> <p>(71) Applicant: ABBOTT LABORATORIES [US/US]; D-377 AP6D, 100 Abbott Park Road, Abbott Park, IL 60064-6050 (US).</p> <p>(72) Inventors: KLIX, Russell, C.; 481 Westbourne Lane, Buffalo Grove, IL 60089 (US). BARKALOW, Jufang, H.; 1027 Knollwood Road, Deerfield, IL 60015 (US). MONTE, William, T.; 4 Farrington Circle, Lincolnshire, IL 60069 (US).</p> <p>(74) Agents: WARD, Michael, J. et al.; Abbott Laboratories, D-377 AP6D-2, 100 Abbott Park Road, Abbott Park, IL 60064-6050 (US).</p>		<p>(81) Designated States: CA, JP, MX, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>With international search report.</i></p>
<p>(54) Title: PROCESS FOR PRODUCING CROSS-LINKED POLYALLYLAMINE HYDROCHLORIDE</p> <p>(57) Abstract</p> <p>The present invention relates to a process for preparing a cross-linked polyallylamine hydrochloride. The process involves mixing polyallylamine hydrochloride, water, a hydroxide or alkoxide, and a water-miscible organic solvent or co-solvents, to a reaction mixture and adding a cross-linking agent to the reaction mixture to form a cross-linked polyallylamine.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PROCESS FOR PRODUCING CROSS-LINKED POLYALLYLAMINE HYDROCHLORIDE

Technical Field of the Invention

The present invention relates to a process for preparing a functionalized polymer. More specifically, the present invention relates to a process for preparing cross-linked polyallylamine hydrochloride.

5

Background of the Invention

Functionalized polymers find many uses in the art such as drugs, ion exchange resins and chelating resins. Functionalized polymers are prepared by introducing various types of functional groups into insoluble polymers. The polymer to be used as a base for the production of a functionalized polymer should be one that is capable of containing several different types of functional groups that are capable of reacting with many different kinds of compounds. Preferably, the polymer will contain electrophilic or nucleophilic functional groups. An example of a polymer having an electrophilic functional group is chloromethylated polystyrene. Examples of polymers having nucleophilic functional groups include polyacrylic acid wherein the functional group is -COOH, polyvinyl alcohol wherein the functional group is -OH, polyethyleneimine wherein the functional group is -NH-, polyvinylamine wherein the functional group is -NH₂-, and the like.

10

15

U.S. Patent 4,605,701 (the '701 patent) describes a process for preparing a cross-linked monoallylamine polymer. The method involves dispersing a solution of monoallylamine polymer in an aqueous solvent and then into a liquid medium that is immiscible with the aqueous solvent. This is followed by subjecting some of the amino groups present in the polymer to a crosslinking reaction with formaldehyde or a compound having at least two functional groups reactive with the primary amino group. According to the '701 patent, the liquid medium is usually an halogenated or unhalogenated aliphatic or aromatic hydrocarbon such as carbon tetrachloride, trichlorethylene, dichloromethane, tetrachloroethylene, chlorobenzene, dichlorobenzene, benzene, toluene, xylene and the like.

One of the difficulties with the process for preparing a cross-linked monoallylamine polymer as described in the '701 patent is that this process employs aliphatic or aromatic hydrocarbons for use as the liquid medium. Such hydrocarbons may be hazardous and expensive to dispose of. Another difficulty with the process described in the '701 patent is that the polymerization process results in a voluminous batch due to the swelling of the gel and necessitates the use of a number of reaction vessels making the process difficult and expensive.

Therefore, there is a need in the art for a solution process of preparing cross-linked functional polymers, such as polyallylamine hydrochloride, in which the process employs environmentally friendly materials and the polymerization occurs in a single reaction vessel in order to facilitate commercial production of the polymer.

The present invention relates to a solution process for preparing a functionalized polymer. More specifically, the present invention involves a process for preparing cross-linked polyallylamine hydrochlorides using environmentally preferable materials. The process of the present invention does not employ aliphatic or aromatic hydrocarbons that
5 may be hazardous and expensive to dispose of. The process of the present invention controls the swelling of the cross-linked polyallylamine polymer in a single reaction vessel that facilitates commercial production of the polymer.

Summary of the Invention

10 The present invention relates to a solution process for producing cross-linked polyallylamine and its salts. In particular, the process of the present invention involves mixing polyallylamine hydrochloride, water, a hydroxide or alkoxide, and a water-miscible organic solvent or co-solvents, in a reaction vessel, and then adding a cross-linking agent.

Detailed Description of the Invention

15 The solution process of the present invention involves adding polyallylamine and/or its salt forms and water to a reaction vessel to form a reaction mixture. The polyallylamine hydrochloride preferably has a molecular weight of from about 1000 to
20 about 500,000, more preferably from about 5,000 to about 30,000. Polyallylamine hydrochloride is commercially available from Nitto Boseki Company, LTD., Tokyo, Japan and Salbury Chemical, Inc., Charles City, Iowa. Also, polyallylamine hydrochloride can

be synthesized from monoallylamine and concentrated hydrochloric acid as described in U.S. Patent 4,605,701, herein incorporated by reference.

The polyallylamine used in the process of the present invention can be in any form known in the art, such as in solid or aqueous form. Solid forms of polyallylamine may be reconstituted with water. Various salt forms of polyallylamine may be used as well, and in particular, the hydrochloride salt form may be illustrative of the present invention.

Preferably, the polyallylamine hydrochloride is added to the reaction vessel in the form of an aqueous solution. When an aqueous solution of polyallylamine hydrochloride is used, it is from about 25% to about 75% aqueous, preferably about 50% aqueous.

The water added to the reaction vessel is preferably distilled water. The weight ratio of water (kg) to polyallylamine hydrochloride (kg, dry weight) is from about 1.5:1.0 to about 10.0:1.0, preferably from about 1.5:1.0 to about 5.0:1.0.

After the polyallylamine hydrochloride and water are added to the reaction vessel, the resulting reaction mixture is mixed for a time period of from about 15 minutes to about 90 minutes. After the mixing, a hydroxide or alkoxide is added to reaction mixture.

Examples of hydroxides that can be used in the present invention are potassium hydroxide, calcium hydroxide, sodium hydroxide, lithium hydroxide, and the like. Examples of alkoxides that can be used in the process of the present invention are sodium methoxide, sodium ethoxide, sodium tert-butoxide, potassium methoxide, potassium ethoxide, potassium tert-butoxide, and the like. The weight ratio of hydroxide or alkoxide (kg) to polyallylamine hydrochloride (kg, dry weight) is from about 0.1:1.0 to about 10.0:1.0, preferably from about 0.3:1.0 to about 5.0:1.0.

After the hydroxide or alkoxide is added to the reaction mixture, the reaction mixture is stirred for a time period of from about 30 minutes to about 120 minutes. After stirring, the reaction mixture is allowed to cool to a temperature of from about 15°C to about 40°C, preferably from about 20°C to about 30°C.

5 After the reaction mixture has cooled, a water-miscible organic solvent is added to the reaction mixture. The solvent displaces the water out of the polallylamine particles to allow for further processing. The water-miscible solvent can be an aprotic or a protic solvent. Water-miscible aprotic or protic solvents that can be used in this invention are well known in the art and include, but are not intended to be limited to, alcohols,
10 dimethylformamide, tetrahydrofuran, dimethyl sulfoxide, acetonitrile. A preferred water-miscible aprotic solvent that can be used in the process of the present invention is acetonitrile. A preferred water-miscible protic solvent that can be used in the process of the present invention is alcohol. Alcohols suitable for the present invention include isopropanol, methanol, ethanol, butanol, and the like. A more preferred water-miscible
15 protic solvent that can be used in the process of the present invention is isopropanol. The volume ratio of water-miscible solvent to water in the reaction mixture may be from about 0.5:1.0 to about 10.0:1.0, preferably from about 1.5:1.0 to about 5.0: 1.0.

It is to be understood that co-solvents may be added to the reaction mixture instead of the use of a single solvent. For example, aprotic and protic solvents may be used
20 together in the process to achieve the same purpose. Furthermore, the order of adding the above reactants to the reaction mixture is not critical to the present invention. For example, the hydroxide or alkoxide may be added to the reaction vessel first followed by

addition of polyallylamine, water, and solvent. However, the polyallylamine, water, hydroxide or alkoxide, and solvent or co-solvents must be added prior to the addition of the cross-linking agent.

After the addition of the above reactants to the reaction mixture, a cross-linking agent is added to the reaction mixture to cross-link the amino groups of the polyallylamine hydrochloride. The cross-linking agent can be any compound that contains at least two functional groups that are reactive with the amino groups of the polyallylamine hydrochloride. As used herein, the term "functional group" refers to the center of reactivity in a molecule. The functional groups contained in the cross-linking agent can be halogen groups, epoxy groups, carboxyl groups, hydroxy groups and the like. For example, the cross-linking agent can be epichlorohydrin or 1,3-dichloro-2-propanol. A single cross-linking agent or multiple cross-linking agents can be used in the process of the present invention to cross-link the polyallylamine hydrochloride. The weight ratio of cross-linking agent to polyallylamine hydrochloride in the reaction mixture is from about 0.01:1.0 to about 10.0:1.0. After the addition of the cross-linking agent, the reaction mixture may be stirred and the reaction mixture begins to form a suspension of polyallylamine particles. After completion of the stirring, the suspension of particles may be recovered by filtering. The reaction vessel may then be washed with a water-miscible organic solvent, such as acetonitrile or isopropanol, in order to remove any residual solids. The collected solids can then be washed with distilled water and a water-miscible organic solvent. Any water-miscible solvent can be used such as acetonitrile or isopropanol. The solids can then be dried using any technique known in the art. For example, the solids can

be dried under a vacuum. After drying, a cross-linked polyallylamine hydrochloride is recovered.

The cross-linked polyallylamine hydrochlorides of the present invention may be used to selectively bind phosphates, transition metals, ionic complexes, and the like. For example, pharmaceutically acceptable cross-linked polyallylamine may be used to remove phosphates in the lumen in patients suffering from renal failure.

Example 1: Preparation of a Cross-Linked Polyallylamine Hydrochloride

To a 30 gallon glass lined reactor was added 14.8 kg of polyallylamine hydrochloride solution (50% aqueous) and 22.2 kg of distilled water. The contents were mixed for about 15 minutes. To this solution was added 2.26 kg of sodium hydroxide and the mixture was stirred for about 30 minutes until the sodium hydroxide was dissolved. After the solution was allowed to cool to 20°C-30°C, 36.8 kg of acetonitrile followed by 696 grams of epichlorohydrin were added. The reaction mixture was then stirred for not less than 21 hours at room temperature. A suspension of particles occurred at around 2 hours. The slurry was then filtered and the reactor was washed with 10 kg of acetonitrile to remove any residual solids. The collected solid was washed with 109.8 kg of distilled water and 249 kg of 70% aqueous isopropanol to obtain a final conductivity of 0.09 m Siemen/cm. The product was then dried under a vacuum with a moist air bleed at 55°C to afford 5.9 kg of the final product.

WHAT IS CLAIMED IS:

1. A solution process for producing a cross-linked polyallylamine or a salt form thereof, the process comprising the steps of.

- a). mixing polyallylamine, water, a hydroxide or alkoxide, and a water-miscible organic solvent or co-solvent; and
- b). adding a cross-linking agent to form a cross-linked polyallylamine.

2. The process of claim 1 wherein the weight ratio of water to polyallylamine in the reaction mixture is from about 1.5:1.0 to 10.0:1.0.

3. The process of claim 1 wherein the hydroxide is selected from the group consisting of sodium hydroxide, calcium hydroxide, potassium hydroxide, and lithium hydroxide.

4. The process of claim 1 wherein the alkoxide is selected from the group consisting of sodium methoxide, sodium ethoxide, sodium tert-butoxide, potassium methoxide, potassium ethoxide, and potassium tert-butoxide.

5. The process of claim 1 wherein the weight ratio of hydroxide or alkoxide to polyallylamine in the reaction mixture is from about 0.1:1.0 to about 10.0: 1.0.

6. The process of claim 1 wherein the water-miscible organic solvent is an aprotic solvent.

7. The process of claim 1 wherein the cross-linked polyallylamine is recovered by filtration.

8. The process of claim 6 wherein the water-miscible aprotic solvent is acetonitrile.

9. The process of claim 1 wherein the water-miscible organic solvent is a protic solvent.

10. The process of claim 9 wherein the water-miscible protic solvent is isopropanol.

11. The process of claim 1 wherein the volume ratio of water-miscible organic solvent to water in the reaction mixture is from about 0.5:1.0 to about 10.0:1.0.

12. The process of claim 1 wherein the cross-linking agent is a compound which has at least two functional groups which are reactive with the amino groups of the polyallylamine.

13. The process of claim 12 wherein the functional groups are selected from halogen group, epoxy group, carboxyl group, or hydroxyl group.
14. The process of claim 12 wherein the cross-linking agent is selected from the group consisting of epichlorohydrin and 1,3 dichloro-2-propanol.
15. The process of claim 1 wherein the weight ratio of cross-linking agent to polyallylamine in the reaction mixture is from about 0.01:1.0 to about 10.0:1.0.
16. The process of claim 1 wherein the polyallylamine is the hydrochloride salt form.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/10167

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C08F8/44

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C08F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 143 328 A (NITTO BOSEKI CO LTD) 5 June 1985 (1985-06-05) cited in the application abstract; claims 1-4 example 1 ---	1-16
A	WO 96 39449 A (GELTEX PHARMA INC ;MANDEVILLE W HARRY III (US); HOLMES FARLEY STEP) 12 December 1996 (1996-12-12) abstract; claims 1-68 page 22, line 5-25; example 1 page 20, line 20 -page 21, line 35 ---	1-16
A	US 3 992 345 A (DUMAS DAVID H) 16 November 1976 (1976-11-16) abstract; claims 1-6 column 5, line 45-60 ---	1-16
-/--		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Δ" document member of the same patent family

Date of the actual completion of the international search

2 August 2000

Date of mailing of the international search report

10/08/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bergmans, K

INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/US 00/10167

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 698 380 A (ROARK DAVID N ET AL) 6 October 1987 (1987-10-06) abstract; claims 1-5 column 6, line 55-60 ---	1-16
A	US 4 680 360 A (UEDA TOSHIO ET AL) 14 July 1987 (1987-07-14) abstract; claims 1-16 column 5, line 25-38 -----	1-16

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/10167

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0143328 A	05-06-1985	JP 1500065 C	28-06-1989
		JP 60090243 A	21-05-1985
		JP 63045721 B	12-09-1988
		DE 3482473 D	19-07-1990
		US 4605701 A	12-08-1986
WO 9639449 A	12-12-1996	US 5618530 A	08-04-1997
		AU 706788 B	24-06-1999
		AU 6154396 A	24-12-1996
		CA 2218531 A	12-12-1996
		EP 0830390 A	25-03-1998
		JP 11507093 T	22-06-1999
		NZ 310707 A	29-09-1999
		US 5969090 A	19-10-1999
		US 5900475 A	04-05-1999
		US 5929184 A	27-07-1999
US 3992345 A	16-11-1976	US 3923745 A	02-12-1975
		CA 1037190 A	22-08-1978
		US 3968317 A	06-07-1976
US 4698380 A	06-10-1987	US 4657948 A	14-04-1987
		AT 66048 T	15-08-1991
		CA 1245846 A	06-12-1988
		DE 3680705 A	12-09-1991
		EP 0201355 A	12-11-1986
US 4680360 A	14-07-1987	JP 1481477 C	10-02-1989
		JP 60106801 A	12-06-1985
		JP 63029881 B	15-06-1988
		JP 1494493 C	20-04-1989
		JP 60108405 A	13-06-1985
		JP 63043402 B	30-08-1988
		AU 551886 B	15-05-1986
		AU 3523484 A	30-05-1985
		CA 1233934 A,C	08-03-1988
		CA 1261100 A	26-09-1989
		EP 0142962 A	29-05-1985